

## PLAYING HANDICAP™ TABLE 85%

Arscott Golf Club

| Handicap Index®         Course Handicap™         Handicap Index®         Course Handicap™           +5.0         to +4.4         +4         28.7         to 29.7         29           +4.3         to +3.3         +3         29.8         to 30.7         30           +3.2         to +2.3         +2         30.8         to 31.7         31           +2.2         to +1.3         +1         31.8         to 32.7         32           +1.2         to +0.2         0         32.8         to 33.8         33           +0.1         to 0.8         1         33.9         to 34.8         34           0.9         to 1.8         2         34.9         to 35.8         35           1.9         to 2.9         3         35.9         to 36.9         36           3.0         to 3.9         4         37.0         to 37.9         37           4.0         to 4.9         5         38.0         to 38.9         38           5.0         to 5.9         6         39.0         to 40.0         39           6.0         to 7.0         7         40.1         to 41.0         40           7.1         to 8.0         8 | Course Rating 71.8 |       | Women's Red (from 6 Apr 2024) |              | Par 71 Slope 129 |
|---|--------------------|-------|-------------------------------|--------------|------------------|
| +5.0 to +4.4  |                    | ndex® | •                             |              |                  |
| +3.2       to +2.3       +2       30.8       to 31.7       31         +2.2       to +1.3       +1       31.8       to 32.7       32         +1.2       to +0.2       0       32.8       to 33.8       33         +0.1       to 0.8       1       33.9       to 34.8       34         0.9       to 1.8       2       34.9       to 35.8       35         1.9       to 2.9       3       35.9       to 36.9       36         3.0       to 3.9       4       37.0       to 37.9       37         4.0       to 4.9       5       38.0       to 38.9       38         5.0       to 5.9       6       39.0       to 40.0       39         6.0       to 7.0       7       40.1       to 41.0       40         7.1       to 8.0       8       41.1       to 42.0       41         8.1       to 9.0       9       42.1       to 43.0       42         9.1       to 10.1       10       43.1       to 44.1       43         10.2       to 11.1       11       44.2       to 45.1       44         11.2       to 12.1       12       45.2 <th>•</th> <th></th> <th></th> <th></th> <th></th>   | •                  |       |                               |              |                  |
| +2.2       to +1.3       +1       31.8       to 32.7       32         +1.2       to +0.2       0       32.8       to 33.8       33         +0.1       to 0.8       1       33.9       to 34.8       34         0.9       to 1.8       2       34.9       to 35.8       35         1.9       to 2.9       3       35.9       to 36.9       36         3.0       to 3.9       4       37.0       to 37.9       37         4.0       to 4.9       5       38.0       to 38.9       38         5.0       to 5.9       6       39.0       to 40.0       39         6.0       to 7.0       7       40.1       to 41.0       40         7.1       to 8.0       8       41.1       to 42.0       41         8.1       to 9.0       9       42.1       to 43.0       42         9.1       to 10.1       10       43.1       to 44.1       43         10.2       to 11.1       11       44.2       to 45.1       44         11.2       to 12.1       12       45.2       to 46.1       45         12.2       to 13.2       13       46.2 <th>+4.3 to</th> <td>+3.3</td> <td>+3</td> <td>29.8 to 30.7</td> <td>30</td>                         | +4.3 to            | +3.3  | +3                            | 29.8 to 30.7 | 30               |
| +1.2 to +0.2       0       32.8 to 33.8       33         +0.1 to 0.8       1       33.9 to 34.8       34         0.9 to 1.8       2       34.9 to 35.8       35         1.9 to 2.9       3       35.9 to 36.9       36         3.0 to 3.9       4       37.0 to 37.9       37         4.0 to 4.9       5       38.0 to 38.9       38         5.0 to 5.9       6       39.0 to 40.0       39         6.0 to 7.0       7       40.1 to 41.0       40         7.1 to 8.0       8       41.1 to 42.0       41         8.1 to 9.0       9       42.1 to 43.0       42         9.1 to 10.1       10       43.1 to 44.1       43         10.2 to 11.1       11       44.2 to 45.1       44         11.2 to 12.1       12       45.2 to 46.1       45         12.2 to 13.2       13       46.2 to 47.2       46   | +3.2 to            | +2.3  | +2                            | 30.8 to 31.7 | 31               |
| +0.1 to 0.8 1 1 33.9 to 34.8 34 0.9 to 1.8 2 34.9 to 35.8 35 1.9 to 2.9 3 35.9 to 36.9 36 3.0 to 3.9 4 37.0 to 37.9 37 4.0 to 4.9 5 38.0 to 38.9 38 5.0 to 5.9 6 39.0 to 40.0 39 6.0 to 7.0 7 40.1 to 41.0 40 7.1 to 8.0 8 41.1 to 42.0 41 8.1 to 9.0 9 42.1 to 43.0 42 9.1 to 10.1 10 43.1 to 44.1 43 10.2 to 11.1 11 44.2 to 45.1 44 11.2 to 12.1 12 45.2 to 46.1 45 12.2 to 13.2 13 46.2 to 47.2 46  | +2.2 to            | +1.3  | +1                            | 31.8 to 32.7 | 32               |
| 0.9 to 1.8       2       34.9 to 35.8       35         1.9 to 2.9       3       35.9 to 36.9       36         3.0 to 3.9       4       37.0 to 37.9       37         4.0 to 4.9       5       38.0 to 38.9       38         5.0 to 5.9       6       39.0 to 40.0       39         6.0 to 7.0       7       40.1 to 41.0       40         7.1 to 8.0       8       41.1 to 42.0       41         8.1 to 9.0       9       42.1 to 43.0       42         9.1 to 10.1       10       43.1 to 44.1       43         10.2 to 11.1       11       44.2 to 45.1       44         11.2 to 12.1       12       45.2 to 46.1       45         12.2 to 13.2       13       46.2 to 47.2       46  | +1.2 to            | +0.2  | 0                             | 32.8 to 33.8 | 33               |
| 1.9 to 2.9       3       35.9 to 36.9       36         3.0 to 3.9       4       37.0 to 37.9       37         4.0 to 4.9       5       38.0 to 38.9       38         5.0 to 5.9       6       39.0 to 40.0       39         6.0 to 7.0       7       40.1 to 41.0       40         7.1 to 8.0       8       41.1 to 42.0       41         8.1 to 9.0       9       42.1 to 43.0       42         9.1 to 10.1       10       43.1 to 44.1       43         10.2 to 11.1       11       44.2 to 45.1       44         11.2 to 12.1       12       45.2 to 46.1       45         12.2 to 13.2       13       46.2 to 47.2       46   | +0.1 to            | 0.8   | 1                             | 33.9 to 34.8 | 34               |
| 3.0 to 3.9 4 37.0 to 37.9 37 4.0 to 4.9 5 38.0 to 38.9 38 5.0 to 5.9 6 39.0 to 40.0 39 6.0 to 7.0 7 40.1 to 41.0 40 7.1 to 8.0 8 41.1 to 42.0 41 8.1 to 9.0 9 42.1 to 43.0 42 9.1 to 10.1 10 43.1 to 44.1 43 10.2 to 11.1 11 44.2 to 45.1 44 11.2 to 12.1 12 45.2 to 46.1 45 12.2 to 13.2 13 46.2 to 47.2 46  | 0.9 to             | 1.8   | 2                             | 34.9 to 35.8 | 35               |
| 4.0 to 4.9       5       38.0 to 38.9       38         5.0 to 5.9       6       39.0 to 40.0       39         6.0 to 7.0       7       40.1 to 41.0       40         7.1 to 8.0       8       41.1 to 42.0       41         8.1 to 9.0       9       42.1 to 43.0       42         9.1 to 10.1       10       43.1 to 44.1       43         10.2 to 11.1       11       44.2 to 45.1       44         11.2 to 12.1       12       45.2 to 46.1       45         12.2 to 13.2       13       46.2 to 47.2       46   | 1.9 to             | 2.9   | 3                             | 35.9 to 36.9 | 36               |
| 5.0 to 5.9       6       39.0 to 40.0       39         6.0 to 7.0       7       40.1 to 41.0       40         7.1 to 8.0       8       41.1 to 42.0       41         8.1 to 9.0       9       42.1 to 43.0       42         9.1 to 10.1       10       43.1 to 44.1       43         10.2 to 11.1       11       44.2 to 45.1       44         11.2 to 12.1       12       45.2 to 46.1       45         12.2 to 13.2       13       46.2 to 47.2       46  | 3.0 to             | 3.9   | 4                             | 37.0 to 37.9 | 37               |
| 6.0 to 7.0 7 40.1 to 41.0 40 7.1 to 8.0 8 41.1 to 42.0 41 8.1 to 9.0 9 42.1 to 43.0 42 9.1 to 10.1 10 43.1 to 44.1 43 10.2 to 11.1 11 44.2 to 45.1 44 11.2 to 12.1 12 45.2 to 46.1 45 12.2 to 13.2 13 46.2 to 47.2 46   | 4.0 to             | 4.9   | 5                             | 38.0 to 38.9 | 38               |
| 7.1 to 8.0 8 41.1 to 42.0 41 8.1 to 9.0 9 42.1 to 43.0 42 9.1 to 10.1 10 43.1 to 44.1 43 10.2 to 11.1 11 44.2 to 45.1 44 11.2 to 12.1 12 45.2 to 46.1 45 12.2 to 13.2 13 46.2 to 47.2 46  | 5.0 to             | 5.9   | 6                             | 39.0 to 40.0 | 39               |
| 8.1 to 9.0       9       42.1 to 43.0       42         9.1 to 10.1       10       43.1 to 44.1       43         10.2 to 11.1       11       44.2 to 45.1       44         11.2 to 12.1       12       45.2 to 46.1       45         12.2 to 13.2       13       46.2 to 47.2       46   | 6.0 to             | 7.0   | 7                             | 40.1 to 41.0 | 40               |
| 9.1 to 10.1 10 43.1 to 44.1 43 10.2 to 11.1 11 44.2 to 45.1 44 11.2 to 12.1 12 45.2 to 46.1 45 12.2 to 13.2 13 46.2 to 47.2 46  | 7.1 to             | 8.0   | 8                             | 41.1 to 42.0 | 41               |
| 10.2 to 11.1 11 44.2 to 45.1 44 11.2 to 12.1 12 45.2 to 46.1 45 12.2 to 13.2 13 46.2 to 47.2 46   | 8.1 to             | 9.0   | 9                             | 42.1 to 43.0 | 42               |
| 11.2 to 12.1 12 45.2 to 46.1 45<br>12.2 to 13.2 13 46.2 to 47.2 46  |                    |       |                               |              | 43               |
| 12.2 to 13.2 13 46.2 to 47.2 46   |                    |       |                               |              | 44               |
|   |                    |       |                               |              |                  |
| 13.3 to 14.2 14 47.3 to 48.2 47   |                    |       |                               |              |                  |
|   |                    |       |                               |              |                  |
| 14.3 to 15.2 15 48.3 to 49.2 48   |                    |       |                               |              |                  |
| 15.3 to 16.3 16 49.3 to 50.3 49   |                    |       |                               |              |                  |
| 16.4 to 17.3 17 50.4 to 51.3 50   |                    |       |                               |              |                  |
| 17.4 to 18.3 18 51.4 to 52.3 51   |                    |       |                               |              |                  |
| 18.4 to 19.3 19 52.4 to 53.4 52   |                    |       |                               |              |                  |
| 19.4 to 20.4 20 53.5 to 54.0 53   |                    |       |                               | 53.5 10 54.0 | 53               |
| 20.5 to 21.4 21   |                    |       |                               |              |                  |
| 21.5 to 22.4 22<br>22.5 to 23.5 23  |                    |       |                               |              |                  |
| 22.5 to 23.5 23<br>23.6 to 24.5 24  |                    |       |                               |              |                  |
| 24.6 to 25.5 25   |                    |       |                               |              |                  |
| 25.6 to 26.6 26   |                    |       |                               |              |                  |
| 26.7 to 27.6 27   |                    |       |                               |              |                  |
| 27.7 to 28.6 28   |                    |       |                               |              |                  |

## **INSTRUCTIONS**

Find the range containing your Handicap Index® in the left column.

Play with the Course Handicap™ in the right column which correspond with that range.

Please make sure the tees you are playing correspond with the tees this table applies to.

Note: These Playing Handicap™ have been calculated using a 85% handicap allowance.